



# INDEX MAPS.

## T. 27N, R. 8 E. 2<sup>nd</sup> Mer.



## T. 28N R. 8 E. 2<sup>nd</sup> Mer.



The figures on the lines refer to the page.

183

Township 27 North, Range 8 East 3<sup>rd</sup> Mer. Ind. &  
 South Boundary.  
 Var. 6° 30' E.

West on S. Side of Sec. 36-

- 21.64 an Ash 24 in. diam.  
 39.00 a Spring. Course N.E.  
 40.00 Let gr. Sec. post from which  
     a W. Oak 36 in. diam. bears S. 1 E 20 1/2 W. dist. 9  
     a Poplar 18 " " " N 88 W 34 " "  
 49.66 a Sugar 24 " "  
 80.00 Let post cor. to Secs. 35 & 36 from which  
     a Beech 14 in. diam. bears N 4 E 13 1/2 W. dist. 9  
     a Do 18 " " " S 36 W 12 " "  
 Rich land, Timber Beech, Oak, Ash, Sugar &c.

West on S. Side of Sec. 35-

- 23.06 a Beech 15 in. diam.  
 40.00 Let gr. Sec. post from which  
     a Buckeye 6 in. diam. bears N 10 E 22 1/2 W. dist. 9  
     a Beech 9 " " " S 47 W 31 " "  
 63.00 a Mark 25 W. side course N.  
 80.00 Let post cor. to Secs. 34 & 35 from which  
     a W. Oak 20 in. diam. bears N 85 W 23 1/2 W. dist. 9  
     a Sugar 14 " " " S 20 E 16 " "  
 Sand & Timber same as on the last line.

West on S. Side of Sec. 34

- 4.10 a W. Oak 18 in. diam.  
 40.00 Let gr. Sec. post from which  
     a Beech 12 in. diam. bears N 45 E 24 1/2 W. dist. 9  
     a Do 5 " " " S 72 W 23 " "  
 67.08 a Do 10 " "  
 80.00 Let post cor. to Secs. 33 & 34 from which  
     a W. Oak 36 in. diam. bears N 30 W 30 1/2 W. dist. 9  
     an Elm 15 " " " S 50 E 42 " "  
 Sand & Timber same as on the last line.



S. D. N. - R. & E. 2<sup>nd</sup> Mer. Indiana.

West on S. Side of Sec. 33 -

37.50 at Brook 40 W. wide Course N.

40.00 Let g. Sec. post from which  
a Sugar 24 in. dia. bears S 18 E 16 W. dir. 9  
at Buck 24 " " " N 33 W 20 " "

53.00 at Brook 12 W. wide Course N. E.

80.00 Let post con. to Secs. 32 & 33 from which  
a Sugar 20 in. dia. bears N 55 W 19 W. dir. 9  
an Oak 24 " " " N 33 E 19 " "  
Land & Limbs Same as on the last line

West on S. Side of Sec. 32

29.00 at Brook 40 W. wide Course N.

35.72 a Sugar 24 in. dia.

40.00 Let g. Sec. post from which  
an Oak 20 in. diam. bears N 43 W 7 W. dir. 9  
at Buck 12 " " " N 41 E 6 " "80.00 Let post con. to Secs. 31 & 32 from which  
a W. Oak 20 in. diam. bears N 50 E 18 W. dir. 9  
a Do 9 " " " S 38 W 18 " "

Land &amp; Limbs Same as on the last line -

West on S. Side of Sec. 31.

40.00 Let g. Sec. post from which

at Buck 30 in. dia. bears N 62 W 17 W. dir. 9

a Do 18 " " " S 75 E 24 " "

77.50 To Township Corner -

East Boundary.

Var. 6° 30' E -

North on E. Side of Sec. 36 -

17.74 a Lyncan 20 in. dia.

23.17 Intersect. Salamanic River & set post fr. which  
a Spruce 12 in. diam. bears N 11 W 11 W. dir. 9  
at Buck 15 " " " N 76 W 10 " "

26.28 on River &amp; set post from which

185

*27 N. R. & E. 2<sup>nd</sup> Mu. Indiana*

at Hackberry 18 in. diam. bears S 45 E 12 W. dir. 9  
 a Buckeye 8 " " " N 30 W 11 " "  
 40.00 Set gr. Sec. post from which  
 an Ash 15 in. diam. bears S 82 E 17 W. dir. 9  
 a Do 12 " " " N 39 W 26 " "  
 80.00 Set post C. to Sec. 25 & 36 from which  
 an Ash 15 in. diam. bears N 45 W - 11 W. dir. 9  
 an Oak 18 " " " S 29 W 7 " "  
 Rich land. Timber Beech. Ash. Oak &c  
 April 3<sup>rd</sup> 1830 -

*North on E. Side of Sec. 25*

13.63 a W. Oak 24 in. dia.  
 40.00 Set gr. Sec. post from which  
 a Beech 10 in. diam. bears N 83 E 14 W. dir. 9  
 an Ash 7 " " " N 65 W " "  
 54.90 at Hickory 18 " "  
 80.00 Set post C. to Sec. 24 & 25 from which  
 a Beech 18 in. diam. bears N 29 E 36 W. dir. 9  
 a Hickory 18 " " " N 88 W 18 " "  
 Sand & Timber same as on the last line -

*North on E. Side of Sec. 24*

11.00 a Beech 50 W. wide corner S.W.  
 13.14 an Ash 20 in. dia.  
 40.00 Set gr. Sec. post from which  
 a Beech 9 in. dia. bears N 55 E 7 W. dir. 9  
 a Do 14 " " " S 89 W 21 " "  
 68.00 at Hickory 20 " "  
 80.00 Set post C. to Sec. 13 & 24 from which  
 an Elm 12 in. dia. bears S 9 E 17 W. dir. 9  
 an Ash 18 " " " S 30 W 35 " "  
 Rich land. Timber Beech. Ash. Oak. Sugar &c

*North on E. Side of Sec. 13*

2.50 a W. Oak 30 W. wide corner S.W.

W. D. N. - W. & E. 2<sup>nd</sup> Mer. Indian.

28.36 Intersect E. Bound. of Indian Reserve  
of 6 miles square set post from which

Surveyed in 1820 by John M. Donald.

Continuation of East Boundary

North on E. Side of Sec. 13 - Bear 5° 30' E  
Beginning at post in E. Bound. Indian Reserve

11.64 Set q. Sec. post from which  
a Sugar 18 in. diam. bears N 11 W 56 W. dist. 4  
a Do 18 " " " 486 E 44 " "

27.85 a Beech 20 " "

41.42 a Hickory 24 " "

51.64 Set post cor. to Secs. 12 & 13 from which  
a Hackberry 18 in. dia. bears S 45 E 13 W. dist. 4  
a Hickory 18 " " " S 45 W 41 " "

The Old bearing "Oak" is dead -

Sand rolling & good 2<sup>nd</sup> rate. Beech, Sugar,  
Oak, Elm, Ash, Walnut, Spice, Hawth.

North on E. Side of Sec. 12

23.18 a Walnut 36 in. diam.

40.00 Set q. Sec. post from which  
an Ash 20 in. dia. bears N 64 E 3 W. dist. 4  
a Hickory 8 " " " S 44 W 5 " "

56.70 a Beech 24 " "

67.58 a Do 24 " "

80.00 Set post cor. to Secs. 12 & 13 from which  
a Beech 20 in. diam. bears N 32 W 20 W. dist. 4  
a Do 18 " " " S 83 E 13 " "

Sand lent & inclined to west 2<sup>nd</sup> rate. Beech,  
Sugar, Oak, Ash, Elm, Hickory, Spruce,  
Spice, Hawth.

North on E. Side of Sec. 11

The bearing of the boundary is correct

187

T. 27 N. R. 8 E. 2<sup>nd</sup> Mer. Indiana.

- 11.53 a W. Oak 10 in. dia.  
 29.93 a Swamp ash 12 in. dia.  
 45.00 Lot q. Lee. post from which  
     a Beech 22 in. diam. bears S 9 E 15 W. dist. 9  
     a Do 24 " " " N 37 W 35 " "  
 55.81 a Sugar 24 " "  
 71.92 a Hickory 24 " "  
 76.29 Intert. E & W. Township line & set Post Cn.  
     to Township 27 28 North. Range 8 & 9 East -  
     a W. Oak 24 in. dia. bears N 45 W 7 W. dist. 4  
     a Beech 10 " " " S 27 W 28 " "  
 Sand level 2<sup>nd</sup> rate. Beech. Sugar. Oak. Elm.  
 Hickory, Ash. Syc. Spruce &c -  
 Run by C. Carter Dep. Sur.

North Boundary -

Var. 5° 40' E

- West on S. Side of Lee. 36 S. 28 N. - R. 8 E -  
 14.09 a Hickory 18 in. diam.  
 32.74 a Beech 10 " "  
 40.00 Lot q. Lee. post from which  
     a Beech 24 in. diam. bears S 23 E 12 W. dist. 9  
     a Do 10 " " " N 42 E 21 " "  
 52.55 a Poplar 48 " "  
 67.73 a Beech 18 " "  
 80.00 Lot Post Cn. to Lee. 35 & 36 from which  
     a W. Oak 24 in. dia. bears N 59 E 16 W. dist. 4  
     a Do 24 " " " S 39 W 19 " "  
 Sand level & 2<sup>nd</sup> rate. Beech. Hickory Oak.  
 Elm. Sugar. Ash. Poplar. Spruce. Pinch. Ash &c  
 Var. 5° 50' E -

- West on S. Side of Lee. 35 S. 28 N. - R. 8 E -  
 17.81 a Hickory 15 in. diam.  
 28.89 an Ash 24 " "  
 40.00 Lot q. Lee. Post from which



# N. 27 N. - R. 8 E. Twp Mer. Indiana.

an Ash 20 in. diam. bears 457 E 4 W. dist. 9  
 a Do 10 " " " 456 W 10 " "  
 52.21 a Beech 20 " "  
 65.39 a W. Oak 28 " "  
 80.00 Let post cut to Secs 34 & 35 from which  
 a Beech 12 in. diam. bears N 54 W 20 W. dist. 9  
 a Do 28 " " " 470 W 39 " "  
 Stand cont. 2<sup>d</sup> rate. Some of it with Beech.  
 Oak. Elm. Sugar. Ash. Hickory. Spruce. P. Ash &  
 War. 5<sup>th</sup> 40' E

West on S. Side of Sec. 34 T. 28 N. - R. 8 E -

14.65 a Poplar 40 in. diam.

26.92 an Ash 24 " "

40.00 Let gr. Sec. Post from which

a Hickory 18 in. diam. bears N 18 E 12 W. dist. 4

a Beech 10 " " " 465 W 28 " "

48.53 a Poplar 36 " " (Old Sight tree)

68.06 a Beech 14 " "

80.00 Let post cut to Secs 33 & 34 from which

an Ash 36 in. diam. bears 440 W 33 W. dist. 9

a W. Oak 40 " " " N 36 E 22 " "

(The Walnut Bearing is dead)

Stand rolling 2<sup>d</sup> rate. Beech. Oak. Ash. Sugar.

Elm. Poplar. Hickory. Spruce & Spruce &

October 12<sup>th</sup> 1839. Var. 5<sup>th</sup> 40' E -

West on S. Side of Sec. 33 T. 28 N. - R. 8 E -

13.58 a W. Oak 34 in. diam.

35.46 a Sugar 10 " "

40.00 Let gr. Sec. Post from which

a Sugar 18 in. diam. bears 466 E 14 W. dist. 9

an Ash 30 " " " N 66 W 14 " "

60.43 a Beech 22 " "

80.00 Let post cut to Secs 32 & 33 from which

a Beech 14 in. diam. bears 429 E 4 W. dist. 9



T. 27 N. - R. 8 E. 2<sup>nd</sup> Mer. Indiana.

a Beech 26 in. dia. bears S 89 W 39 W. dir.  
 (one old bearing gone)  
 Sand rolling & good 3<sup>rd</sup> Nat. Beech Sugar.  
 Oak. Ash Walnut Poplar. Hickory. Spice &  
 Var. 6<sup>th</sup> 10' E-

West on E. Side of Sec. 33 T. 28 N. - R. 8 E-

14.24 a B. Oak 48 in. dia.

33.77 a Beech 24 " "

40.00 Set g. Sec. Post from which

a Buckeye 10 in. dia. bears N 85 W 21 W. dir. &

a Do 12 " " " S 62 E 15 " "

58.20 a W. Oak 18 " "

80.00 Set Post on to Sec. 31 & 32 from which

a Beech 18 in. dia. bears S 20 E 15 W. dir. &

a Do 24 " " " N 20 E 34 " "

(One bearing gone)

Sand rolling & poor. Beech. Sugar. Oak. Ash,  
 Elm. Hickory. Sycamore Spice &  
 Var. 6<sup>th</sup> 10' E-

West on E. Side of Sec. 31 T. 28 N. - R. 8 E-

5.75 Intersect W. Bound. of Reserve at Post.  
 from which

Sand & Limbs same as on the last line -  
 Surveyed in 1839 by -

Chauncy Carter Dep. Sur.

Continuation of N. Boundary

West on E. Side of Sec. 31 T. 28 N. - R. 8 E-

from Old corner sec. 31 & 32

6.00 Intersect a line running N. & set Post from which

a Ash 20 in. diam. bears S 13 E 12 W. dir. &

a Beech 10 " " " N 8 W 32 " "

T. 27 N. - R. 8 E. Twp. Mer. Indiana.

40.00 Let q. Sec. Post from which  
 a Beech 7 in. diam. bears N 16 E 7 W. dir. 8  
 an Ash 18 " " " S 71 E 27 " "  
 75.00 a Brook 20 W. wide Cor. N.  
 80.00 To Township Cor. -  
 April 4<sup>th</sup> 1820. John M. Donald

West Boundary.

Var. 6° 30' E.  
 North on E. Side of Sec. 36 T. 27 N. - R. 7 E -  
 40.00 Let q. Sec. Post from which  
 a Beech 13 in. diam. bears N 28 W 17 W. dir. 8  
 a Do 15 " " " S 12 E 20 " "  
 80.00 Let Post Co. to Sec. 35 & 36 from which  
 a Beech 18 in. diam. bears N 23 E 17 W. dir. 8  
 an Ironwood 4 " " " S 46 E 15 " "  
 Rich land. Little Beech. ash. Walnut.  
 Poplar. Sugar &c

North on E. Side of Sec. 35 T. 27 N. - R. 7 E -  
 .60 an Ash 30 in. diam.  
 8.00 a Brook 20 W. wide Cor. E -  
 40.00 Let q. Sec. Post from which  
 a Spruce 30 in. diam. bears S 62 E 4 W. dir. 8  
 a Beech 7 " " " N 83 W 6 " "  
 80.00 Let Post Co. to Sec. 34 & 35 from which  
 a Beech 12 in. diam. bears N 24 E 13 W. dir. 8  
 a Do 11 " " " S 34 W 26 " "  
 Land & Timber same as on the last line.

North on E. Side of Sec. 34 T. 27 N. - R. 7 E -  
 4.36 a Beech 20 in. diam.  
 36.50 a Brook 25 W. wide Cor. N. E.  
 40.00 Let q. Sec. Post from which  
 an Ash 30 in. diam. bears N 28 W 10 W. dir. 8  
 a Beech 10 " " " S 13 W 14 " "

191

T. 27 N. - R. 8 E. 2<sup>nd</sup> Mer. Indiana.

80.00 Set post cu. to Sect 13 & 24 from which  
 an Ash 16 in. diam. bears N 20 E 39 W. dist. 8  
 a Beech 13 " " " N 75 E 32 " "  
 Sand & Timber Same as on the last line.

North on E. Side of Sec. 13 T. 27 N. - R. 7 E -  
 40.00 Set gr. Sec. post from which  
 a Buck 18 in. diam. bears N 7 W 22 W. dist. 9  
 a Do 12 " " " S 13 W 13 " "

80.00 Set post cu. to Sect. 12 & 13 from which  
 a Buck 15 in. diam. bears N 29 E 30 W. dist. 8  
 an Ash 14 " " " S 51 E 30 " "  
 Sand & Timber Same as on the last line -

North on E. Side of Sec. 12 T. 27 N. - R. 7 E -  
 3.00 an Ash 18 in. diam.

21.00 at Brook 30 W. wide Corn N.E.

40.00 Set gr. Sec. post from which  
 a Buck 8 in. dia. bears N 33 W 6 W. dist. 8  
 an Oak 20 " " " S 22 E 37 " "

48.00 Intersect Valamanc River & set post from which  
 a W. Oak 15 in. diam. bears S 75 E 5 W. dist.  
 a Do 18 " " " S 56 W 26 " "

63.00 on River & set post from which  
 a W. Oak 20 in. dia. bears S 38 E 8 W. dist. 9  
 a Do 8 " " " N 6 E 19 " "

80.00 Set post cu. to Sect. 14 & 15 from which  
 a Buck 20 in. dia. bears N 68 E 35 W. dist. 8  
 a Do 14 " " " S 22 W 20 " "

Sand hilly. Timber Beech, Oak, Ash &c

North on E. Side of Sec. 1 T. 27 N. - R. 7 E -  
 6.14 a Poplar 4 in. diam.

14.00 at Brook 15 W. wide Corn E. N.

40.00 Set gr. Sec. post from which  
 a Buck 18 in. diam. bears N 28 W 29 W. dist. 8

T. 27 N. - R. 8 E. 2<sup>nd</sup> Mer. Indiana.

80.00 a Beech 18 in. diam. bears 47° E 25 W. dist.  
 Let Post cut to Townships 27 & 28 North.  
 Ranges 7 & 8 East. from which  
 a Walnut 24 in. dia. bears 47° E 22 W. dist. 9  
 a Beech 10 " " " 49° W 13 " "  
 Land 1<sup>st</sup> rate. Timber Beech, Sugar, Ash,  
 Walnut: - - - - - undugrowth Spruce &  
 Surveyed in 1820 by  
 John McDonald D.S.

Subdivision  
 of the portion of T. 27 N. - R. 8 E. lying  
 South and West of the Reservoir -  
 North between Secs. 35 & 36 -  
 29.80 a Poplar 36 in. diam.  
 40.00 Let q. Sec. post from which  
 a Beech 5 in. diam. bears 46° W 37 W. dist. 8  
 a No 6 " " " " 47° E 30 " "  
 65.09 Let post on E. W. bank of Salamancie River.  
 a W. Elm 12 in. diam. bears 46° W 21 W. dist. 9  
 an Ironwood 9 " " " " 49° E 19 " "  
 76.35 on  <sup>bend of</sup>  River & Let Post on N. W. Side from which  
 a Sugar 10 in. diam. bears 42° E 2 W. dist. 4  
 a Buckeye 10 " " " " 47° W 11 " "  
 80.00 Let Post cut to Secs. 25, 26, 35 & 36 from which  
 a Hackberry 7 in. diam. bears 43° E 7 W. dist. 4  
 a Buckeye 4 " " " " 42° W 4 " "  
 Land rolling, good, 2<sup>nd</sup> rate. Timber Beech.  
 Sugar, Ash, Hackberry, Buckeye &  
 undugrowth Spruce, Paw Paw &

East on Random between Secs. 25 & 36 -  
 4.00 To Salamancie River -  
 8.63 on do  
 40.00 Let temp. q. Sec. Post -  
 80.36 Intersect. E. Bound. line 126 W. S. of Post -



# J. D. N. W. & Co. 2<sup>nd</sup> Mer. Indiana.

Land 1<sup>st</sup>  $\frac{1}{2}$  hilly, 2<sup>nd</sup> rate. Last  $\frac{1}{2}$  level Dr.  
 Timber Ash. Sugar. Beech. Oak. Hickory &  
 undergrowth Spice. Ash. Ironwood &

## West Corner between Sects 25 & 36 -

- 21.13 a Dogwood 6 in. dia.  
 40.18 Set gp. Sec. post at average dist. from which  
 at B. Oak 24 in. diam. bears S 4 W 50 W dist. &  
 at B. Oak 10 " " " East 10 " "  
 61.70 at Beech 14 " "  
 71.70 Set post on E. bank of Salamancie River  
 at Box Elder 12 in. diam. bears N 38 E 14 W dist. &  
 at Buckeye 12 " " " S 23 E 21 " "  
 76.36 on River & set post on N. bank from which  
 an Ironwood 9 in. dia. bears S 22 W 24 W dist. &  
 at Buckeye 5 " " " N 1 E 13 " "  
 80.36 To Sec. Corner.

## North Between Sects 25 & 26

- 4.32 Set post on S. bank of Salamancie River,  
 at Buckeye 9 in. dia. bears N 80 W 15 W dist. &  
 a Do 9 " " " N 56 E 30 " "  
 8.29 on River & set post on N. bank from which  
 at B. Oak 9 in. dia. bears N 52 W 8 W dist. &  
 a Do 4 " " " S 57 E 7 " "  
 22.85 a Sugar 14 " "  
 40.00 Set gp. Sec. post from which  
 at Beech 18 in. dia. bears S 11 W 18 W dist. &  
 an Ironwood 8 " " " N 4 E 31 " "  
 61.33 at Beech 18 " "  
 80.00 Set post on to Sects 25, 24, 25 & 26 from which  
 a W. Oak 24 in. diam. bears South 33 W dist. &  
 at Beech 34 " " " N 76 E 49 " "  
 1<sup>st</sup> 20 chains very broken. remainder level  
 2<sup>nd</sup> rate land. Timber Beech. Sugar. Oak.  
 Ash. Hickory. Elm. Spice. P. Ash. Ironwood & thick



194

# N. N. R. & E. D. Me. Indian.

East on Random between Sect. 24 & 25 -

40.00 Let temp. gr. Sec. Post.

80.45 Intersect E. Bound. line 165 W. S. of post.  
Sand rolling 2<sup>nd</sup> rate. Timber Beech. Ash. Oak.  
Sugar. Spruce. Spruce. Hickory. Ironwood &c

West Corner between Sect. 24 & 25 -

20.54 a Beech 18 in. dia.

40.22 Let gr. Sec. post at average dist. from which  
a Beech 18 in. dia. bears N 85 E 19 W. dist. 9  
a Sugar 18 " " " N 3 W 20 " "

61.74 a Beech 18 " "

80.45 To Sec. Corner.

North Between Sect. 23 & 24

22.21 a Buck 30 in. dia.

24.40 a Creek 40 W. wide corner N.W.

40.00 Let gr. Sec. Post from which

a W. Ash 10 in. diam. bears N 75 W 16 W. dist. 9  
a Beech 20 " " " N 40 E 9 " "

67.34 Intersect S. Boundary of Six mile Reserve

Let Post C. to frac. Sect. 23 & 24 from which  
a Beech 14 in. dia. bears S 46 W 20 W. dist. 9  
a Do 20 " " " S 87 E 35 " "

Sand rolling good 2<sup>nd</sup> rate. Timber. Beech  
Ash. Oak. Hickory. Sugar &c Spruce. Pawpaw &c  
July 6<sup>th</sup> 1893 -

North Between Sect. 34 & 35

22.88 a Poplar 24 in. dia

33.00 a Stream 20 W. wide corner N.E.

40.00 Let gr. Sec. Post from which

a B. Oak 44 in. diam. bears S 71 W 1 W. dist. 9  
a Beech 9 " " " N 71 E 6 " "

46.25 a Stream 25 W. wide corner N.W.

61.89 a Sugar 10 in. dia

195  
 27 N. - R. & E. 2<sup>nd</sup> Mer. Indiana

80.00 Set post on. to Secs 26, 27, 34 & 35 from which  
 a Buckeye 10 in. diam. bears N 56 W 51 W. dist. 9  
 a Buck 12 " " " N 56 E 29 " "  
 Sand lent 2<sup>nd</sup> rate. Timber Ash. Beech. Oak.  
 Elm & ungt. ash. Ironwood &c.

East on Random between Secs 26 & 35 -  
 40.00 Set temp. gr. Sec. post on bank of River -  
 80.87 Intersect. M. line at post -  
 Sand rough & broken. Timber Birch Sugar.  
 Ash. Oak. Hickory Hackberry & ungt. Spruce.  
 Pawpaw &c July 6<sup>th</sup>. 1833 -

West Corner between Secs 26 & 35  
 9.78 Set post on S. bank of Edamania River -  
 a Buckeye 10 in. dia. bears N 63 E 19 W. dist. 9  
 a Blue Ash 9 " " " N 55 W 30 " "  
 40.42 On River at a Sugar 11 in. diam. on S. W. bank  
 a Buck 4 in. diam. bears S 47 W 4 W. dist. 9  
 a W. Oak 20 " " " N 47 E 30 " "  
 63.00 a Buck 9 " "  
 80.84 To Sec. Corner.

North between Secs 26 & 27  
 24.40 a Poplar 48 in. diam.  
 40.00 Set gr. Sec. post from which  
 a Hickory 6 in. dia. bears N 32 W 12 W. dist. 9  
 a Maple 11 " " " S 33 E 13 " "  
 64.81 a Buck 13 " "  
 80.00 Set post on to Secs 22, 23, 26 & 27 from which  
 a Buck 16 in. dia. bears S 33 E 10 W. dist. 9  
 a Do 14 " " " N 24 W 17 " "  
 Sand lent 4<sup>th</sup> rate. Timber Ash. Beech. Oak. Elm.  
 Hickory & ungt. Spruce. Ash. Logwood &c

East on Random between Secs 23 & 26 -

# Q7 N. W. & E. T<sup>h</sup> Mer. Indiana.

- 3.00 at Brook 5<sup>th</sup> wide Corn. N.  
 5.00 Lean bluffs rich low bottom  
 10.00 Enter a Swamp  
 16.50 Lean the Do  
 34.67 To N. Bank of Salamanie River -  
 38.09 on Do to E. bank -  
 40.00 Set temp. g. Sec. Post.  
 53.82 Enter a Swamp Prairie  
 58.00 Lean the " "  
 80.82 Intersect. N. line at Post -

Land broken 2<sup>nd</sup> rate. Timber Sugar, Ash,  
 Elm, Buck, Oak, Hickory, some Buckeye,  
 Hackberry & ung<sup>d</sup>. Spruce. P. Ash. Ironwood &c.

## West Corner between Secs 23 & 26 -

- 40.41 Set g. Sec. Post at average dist. from which  
 a Hackberry 24 in. dia. bears S 59 E 37 W. dist. 7  
 a Beech 10 " " " N 9 W 34 " "  
 42.73 Set Post on E. bank of S. River from which  
 a Beech 30 in. dia. bears S 16 E 12 W. dist. 9  
 a W. Oak 28 " " " N 8 E 34 " "  
 46.15 On River & set Post on N. bank from which  
 a Sycamore 20 in. diam. bears N 35 E 27 W. dist. 8  
 a Buckeye 10 " " " S 86 W 14 " "  
 80.82 To Sec. Corner.

## West Between Secs 22 & 27

- 7.50 at Brook 5<sup>th</sup> wide Corn. N.  
 32.00 a Do 14 " " " N.  
 40.60 Set g. Sec. Post to correspond with the line  
 between Secs 27 & 34 - from which  
 a Dogwood 14 in. dia. bears S 49 E 2 W. dist. 7  
 a Beech 5 " " " N 4 W 3 " "  
 48.50 Intersect South Boundary of Six mile Reserve  
 when set Post cor. to field Secs 22 & 27 from which  
 a Sugar 20 in. diam. bears S 3 E 31 W. dist. 9

197

*N. 27 N. R. 8 E. 2<sup>d</sup> Mer. Indiana*

a Sugar 30 in. dia. bears N 74 E 18 W. dist.  
 Sand rough & broken. Timber Buck. Sugar,  
 Ash. Oak. Hickory by angth. Spruce &c  
 From this Corner

34.54 along the South Boundary of Six mile Reserve  
 To a Beech 12 in. dia in bank of Salamann  
 a No 18 " " bears S 56 W 22 W. dist.

*North Between Secs. 22 & 23.*

6.50 a Brook 10 W. side Corn. N. E.  
 11.00 Enter bottom land.  
 13.75 a Stream 15 W. side Corn. W.  
 16.48 a Hackberry 24 in. dia.  
 18.93 To S. bank of Salamann River & set Post -  
 a Lyeander 30 in. dia. bears S 13 W 23 W. dist. 8  
 a Buckeye 12 " " " N 8 E 3 " "  
 1<sup>st</sup> part very broken 2<sup>d</sup> rate - Last part - rich  
 bottom 1<sup>st</sup> rate.

24.00 On River & set Post on N. bank from which  
 a Elm Oak 8 in. dia. bears N 45 E 1 W. dist. 8  
 a Red Oak 36 " " " S 73 W 38 " "  
 25.26 Intersect S. Bound. of Six mile Reserve  
 & set Post Cu. to track Secs. 22 & 23 from which  
 a Hackberry 14 in. dia. bears N 82 E 39 W. dist. 8  
 a Buckeye 8 " " " N 53 W 35 " "  
 From this Corner

2.25 along the South Boundary of Six mile Reserve  
 To Salamann River where set Post from which  
 a Hornbeam 7 in. dia. bears N 60 E 23 W. dist. 8  
 a Buckeye 10 " " " N 53 W 35 " "  
 July 7<sup>th</sup> 1833.

*North Between Secs. 33 & 34.*

20.88 a Red Oak 12 in. dia.  
 40.00 Set off Sec. post from which  
 a R. Oak 40 in. dia. bears N 85 W 3 W. dist. 8



# M 27 N. R. & E. 2<sup>nd</sup> Mer. Indiana

a Hickory 16 in. dia. bears N 48 E 14 W. dist.  
 66.96 a N. Oak 11 " "  
 73.00 a Stream 15 W. wide come S. W.  
 87.00 Set post on to Sec. 27. 28. 33 & 34 from which  
 a Beech 9 in. dia. bears S 25 E 20 W. dist. X  
 a Sugar 18 " " " N 33 W 12 " "  
 Land rolling good 2<sup>nd</sup> rate. Timber Beech. Sugar  
 ash. Hickory. Syc. & c. mag. Spruce &c

East at Random between Sec. 27 & 34

40.00 Set temp. gr. Sec. post

81.20 Entered Md. line 33 W. N. of post.

Land a little rolling 2<sup>nd</sup> rate. Sugar. Beech.  
 ash. Hickory. Oak. Spruce. Ironwood &c

West Corner between Sec. 27 & 34 -

20.03 a Beech 8 in. diam.

40.60 Set gr. Sec. post at corner dist. from which  
 a Poplar 24 in. dia. bears N 44 E 24 W. dist. X  
 a Hornbeam 14 " " " S 76 W 6 " "

59.70 a Beech 24 " "

81.20 To Sec. Corner.

North Between Sec. 27 & 28 -

21.10 a N. Oak 30 in. dia.

40.00 Set gr. Sec. post from which

a N. Oak 18 in. dia. bears N 48 E 19 W. dist. X

a Syc. 12 " " " N 33 W 10 " "

62.50 Entered South Bound. of Six mile ocean

Set post on to frac. Sec. 27 & 28 from which

a Beech 8 in. dia. bears N 60 E 6 W. dist. 9

a Sugar 12 " " " S 61 W 20 " "

July 7<sup>th</sup> 1823 -

North Between Sec. 32 & 33 -

22.19 a Sm Oak 12 in. dia.



199

N 27 N. R. 8 E. 2<sup>nd</sup> Mer. Indiana.

40.00 Set gp. Sec. post from which  
 a Beech 5 in. dia. bears N 36 E 23 W. dir. 4  
 a Do 12 " " " N 43 W 11 " "

64.30 a Do 9 " "

80.00 Set post on to Sect. 28. 29. 32 + 33 from which  
 a Beech 11 in. dia. bears N 58 E 26 W. dir. 4  
 a Do 10 " " " N 84 W 19 " "

Land rolling 2<sup>nd</sup> rate. Timber Beech. Sugar. Ash,  
 Elm. Hickory, Sycamore ungt. Spruce &

East on Random between Sect. 28 + 33.

35.50 a Stream 15 W. side corner N. E.

40.00 Set temp. gp. Sec. post.

58.50 a Stream 15 W. side corner N. W.

80.00 Intersect N. S. line 34 W. E. of Post.

Land rolling good 2<sup>nd</sup> rate. Timber Beech,  
 Sugar. Ash. Syc. Elm. Hickory &  
 ungt. Spruce. Pawpaw &

West Corner between Sect. 28 + 33.

16.21 a W. Ash 40 in. dia.

40.00 Set gp. Sec. post from which

a Buckeye 20 in. dia. bears N 43 E 25 W. dir. 4

a Beech 11 " " " N 55 W 28 " "

61.45 a Buckeye 11 " "

80.00 To Sec. Corner.

North Between Sect. 28 + 29.

14.50 a Brook 30 W. side corner N. W.

20.98 Intersect South Bound. of Six mile reserve  
 Set post on to fract. Sect. 28 + 29 from which

a Beech 20 in. dia. bears N 31 W 23 W. dir. 4

a Do 10 " " " N 44 E 32 " "

July 1<sup>st</sup> 1833.

North Between Sect. 31 + 32

# of 27 N. - T. C. & E. 2<sup>nd</sup> Mer. Indiana.

22.33 a Beech 14 in. dia.

40.00 Set gr. Sec. post from which

a Beech 12 in. dia. bears N 7 E 11 W. dist. of

an Ironwood 8 " " " S 62 W 9 " "

59.66 Entered S. Bound. of Six mile Reserve 14.27

from the S. W. Corner & set post from which

a Beech 14 in. dia. bears S 36 W 15 W. dist. of

a Do 32 " " " N 72 E 30 " "

Thence without making any marks in Reserve

80.00 To Ca. of Sects 29, 30, 31 & 32.

Land sold 2<sup>nd</sup> rate. Limbo Beech. Sugar. Ash.

Elm. Oak Hickory. Poplar & ungt<sup>h</sup> Spruce &

West Between Sects 30 & 31 I

12.09 Entered W. Bound. of Six mile Reserve 26.87

fr. S. W. Cor. set post Ca. to frac. Sect. 30 & 31 from which

a Beech 13 in. diam. bears N 85 E 8 W. dist. of

a Do 11 " " " N 30 W 18 " "

25.14 a Hickory 12 " "

40.00 Set gr. Sec. post from which

an Ironwood 5 in. dia. bears S 63 W 3 W. dist. of

a Beech 8 " " " N 7 E 24 " "

60.26 a Do 9 " "

77.85 Entered W. Bound. line 47 W. N. of post.

When set post Ca. to Sect. 30 & 31 from which

a Beech 14 in. dia. bears S 25 W 17 W. dist. of

a W. Ash 40 " " " N 70 W 10 " "

Land rolling 2<sup>nd</sup> rate. Beech. Ash. Elm. Oak. Hickory &

North Between Sects 29 & 30 -

40.00 Offset N. on Indian boundary when set

Dr. Sec. post from which

a Beech 14 in. dia. bears N 74 E 3 W. dist. of

a Do 12 " " " S 43 W 16 " "

80.00 Ca. to 19, 20, 29 & 30 -

1<sup>st</sup> & 2<sup>nd</sup> mile. rough & broken. Last for rolling 2<sup>nd</sup> rate

201

W. J. N. R. & E. 2<sup>d</sup> Mr. Indiana.

Timber Buck. Sugar &c.

- West Return Loc. 19430  
 10.67 Entered W. Bound. of Six Mile Reserve  
 Set Post Cu. to frach. Loc. 19430 from which  
 a Beech 12 in. dia. bears N 51 E 22 W. dist. 9  
 a Do 5 " " " S 48 W 30 " "  
 27.32 a Hickory 12 " "  
 40.00 Set q. Sec. Post from which  
 a W. Ash 5 in. dia. bears S 17 E 21 W. dist. 9  
 a Beech 14 " " " N 30 W 26 " "  
 59.03 a Cherry 12 " "  
 77.95 Entered W. Bound. line 16 W. N. of Post  
 when Set Post Cu. to Loc. 19430 from which  
 a Beech (an old bearing tree) 11 in. dia. bears  
 S 39 E 7 W. & a Do 8 in. dia. bears N 39 W 31 W. dist.  
 Sand lent 2<sup>d</sup> rate. Timber Buck. Sugar. Ash.  
 Elm. Hickory & ung<sup>t</sup>. Spice &  
 July 1<sup>st</sup> 1823-

- North Return Loc. 19430-  
 40.00 Offer W. on Indian Down day, where  
 Set 1/2 mile Post from which  
 a W. Ash 30 in. dia. bears West 13 W. dist. 9  
 a Beech 14 " " " S 45 E 3 " "  
 80.00 Cu. to 17. 18. 19430-  
 Sand rolling. part broken 2<sup>d</sup> rate. Timber  
 Buck. Ash. Elm. Sugar. Hickory & ung<sup>t</sup>. Spice &

- West Return Loc. 18419-  
 8.78 Entered W. Bound. of Six Mile Reserve  
 Set Post Cu. to frach. Loc. 18419 from which  
 a Poplar 40 in. dia. bears N 76 E 15 W. dist. 9  
 a Beech 5 " " " West 50 " "  
 23.58 a Do 14 " "  
 40.00 Set q. Sec. Post from which -

W. D. N. - W. C. & E. D. - Mr. Indiana.

at Beech 14 in. dia. bears N 42 E 31 W. dist. of  
 at Hickory 16 " " " S 15 W 34 " "  
 72.24 at Beech 14 " "  
 77.82 Intersect N. Bound. line 22 W. of post -  
 where set post on. to Sec. 18 & 19 from which  
 at Beech 12 in. dia. bears S 81 E 34 W. dist. of  
 at Ironwood 14 " " " S 80 W 29 " "  
 Sand rolling D. rate. Timber Beech. Sugar. Ash.  
 Hickory. Elm &c. ungt. Spruce &c.

North Return Sec. 17 & 18

38.14 Set post on S. Side of Salamancie River at  
 the intersection of Indian Boundary fr. which  
 at W. Elm 10 in. dia. bears S 11 W 9 W. dist. of  
 at Buckeye 14 " " " N 80 E 3 " "  
 40.00 1/2 mile Corn in River from which  
 at Beech 14 in. dia. bears S 35 W 228 W. dist. of  
 at Blue Ash 9 1/2 " " " S 16 E 203 " "  
 43.39 Set post on N. bank of Salamancie River at  
 the intersection of Indian Boundary. from which  
 at Buckeye 5 in. dia. bears N 6 W 9 W. dist. of  
 at Elm 14 " " " S 91 E 8 " "  
 73.50 at Fork 10 W. wide Corn N.  
 80.00 On. to J. 8. 17 & 18.

Sand rough & broken D. rate. Timber Beech.  
 Sugar. Ash. Buckeye. Hackberry. Spruce &c.

West Return Sec. 7 & 18

7.09 Intersect N. Bound. of Six mile reserve & set  
 post on. to each. Sec. 7 & 18 from which  
 at W. Ash 6 in. dia. bears S 50 W 1 W. dist. of  
 at Beech 12 " " " N 32 E 38 " "  
 25.81 Set post on E. bank of Salamancie River fr. which  
 at Sugar 20 in. dia. bears N 3 E 12 W. dist. of  
 at Hackberry 8 " " " S 30 E 12 " "  
 28.75 on River & set post on N. side from which



203

*27 N. - R. & E. 9<sup>th</sup> Mu. Indiana.*

- a Red Oak 20 in. dia. bears S 10 E 20 W. dir. &  
 a Sugar 20 " " " N 21 E 11 " "  
 29.25 a Spring Corn St.  
 40.00 Set q. Sec. Post from which  
 a Beech 11 in. dia. bears S 61 E 23 W. dir. &  
 a Buckeye 10 " " " N 68 W 24 " "  
 43.50 a a Spring 5 W. side Corn St.  
 58.30 a W. Ash 24 in. dia.  
 79.38 Intersect N. Bound. line 54 W. S. of Post -  
 when set Post Cn. to Sec. 7 & 8 from which  
 a W. Ash 8 in. dia. bears S 87 W 13 W. dir. &  
 a Buckeye 12 " " " S 35 E 31 " "  
 Sand rolling good 9<sup>th</sup> Rate. Timber Beech. Ash.  
 Oak. Sugar. Hickory & ungt. Spice. Pawpaw &

*North Between Sec. 7 & 8 -*

- 40.00 Offer N. on Indian Bound. line when  
 set 1/2 mile Post from which  
 a Beech 12 in. dia. bears S 5 E 10 W. dir. &  
 a Do 22 " " " N 39 W 12 " "  
 80.00 Cn. to 5. 6. 7 & 8 -  
 Sand rough & uneven. Timber Beech. Sugar.  
 Elm. Ash. Hickory & ungt. Spice &

*West Between Sec. 6 & 7 -*

- 5.36 Intersect Indian Boundary line when set  
 Post Cn. to frac. Sec. 6 & 7 from which  
 a Beech 11 in. dia. bears N 28 W 21 W. dir. &  
 a Hickory 7 " " " S 44 E 31 " "  
 27.08 a Beech 10 " "  
 40.00 Set q. Sec. Post from which  
 a Sugar 20 in. dia. bears N 21 W 12 W. dir. &  
 a Do 12 " " " S 32 E 23 " "  
 57.10 a Do 14 " "  
 77.88 Intersect N. Bound. line 133 W. S. of Post -  
 when set Post Cn. to Sec. 6 & 7 from which -



# W. J. N. - W. & E. Ind. Ma. Indiana

Buckeye 10 in. dia. bears 160 E 32 W. dir. of  
 Hickory 6 " " " N 51 W 14 " "  
 Sand hilly 2<sup>nd</sup> rate. Timber Beech. Sugar. Ash.  
 Hickory. Oak & ung. Spice. Ironwood &

North Between Sec. 5 & 6.

40.00 offset N. on Indian Boundary. where set  
 1/2 mile post from which

Beech 11 in. dia. bears 187 W 10 W. dir. of  
 Do 11 " " " 158 E 25 " "

78.57 Intersect N. Boundary 373 W. E. of post  
 on Indian Boundary

Sand rolling 2<sup>nd</sup> rate. Timber Beech. Sugar. Ash.  
 Elm. Hickory & ung. Spice. Pawpaw &  
 July 2<sup>nd</sup> 1853

Meanders of Salamancie River -  
 Beginning at post in West Boundary  
 thence up stream on Left Bank

Courses Distances

Remarks.

149 E 5.00 In Sec. 7

188 E 4.00

175 E 12.00

176 E 9.50

113 E 2.50

137 W 8.50

112 W 4.00

129 E 10.00 at 4.00. Lean Bluffs

East 10.00

140 E 7.00

117 E 4.00

South 8.00

131 E 4.50

111 E 18.00 at 75<sup>th</sup> a Spring - and at 1.04  
 on the course Intersect line between Sec.  
 7 & 18 at post

205-  
 27 N. R. 8 E. 2<sup>d</sup> Mer. Indiana

|       |       |                                      |
|-------|-------|--------------------------------------|
| 071 E | 4.00  | In Sec. 18.                          |
| 035 E | 4.00  |                                      |
| 014 E | 9.50  | at 7.25 a Stream 50 ft. wide.        |
| 044 E | 4.00  |                                      |
| 034 E | 10.20 | Entered Indian Reserve line at Post. |

From Post in S. Bound of Indian  
 Reserve thence up Stream on  
 Left bank -

|       |       |  |
|-------|-------|--|
| 063 E | 2.00  | In Sec. 22 at 2.00 a Spring                                      |
| 042 E | 3.00  | Point of Island -  |
| 175 E | 4.50  | Lean high Bluffs   |
| 141 E | 5.00  | at 50 ft. a Creek 50 ft. wide                                    |
| 172 E | 3.50  |  |
| 187 E | 21.00 | at 3.34 Post in line of sec. 22 & 23<br>at 5.00 Head of Island - |

✓

|       |       |   |
|-------|-------|---|
| 149 E | 16.50 | In Sec. 23                              |
| 032 E | 2.50  |   |
| 018 E | 3.50  |   |
| 043 E | 4.00  |   |
| 047 W | 4.00  | at 73 ft. Post in line of sec. 23 & 26. |

|       |       |             |
|-------|-------|-------------|
| 064 W | 5.00  |             |
| 082 W | 8.50  |             |
| 189 W | 5.00  | Lean Bluffs |
| 056 W | 6.00  |             |
| 04 W  | 1.50  |             |
| 030 W | 2.50  |             |
| 06 E  | 11.00 |             |
| 047 E | 5.50  | Left Bluff  |
| 085 E | 5.00  |             |
| 071 E | 6.50  |             |
| 057 E | 15.50 |             |
| 031 E | 8.50  |             |
| 04 E  | 3.50  |             |

# *Q. 27 N. R. & E. 2<sup>nd</sup> Mer. Indiana*

|                      |       |                                  |
|----------------------|-------|----------------------------------|
| 028 $\frac{1}{2}$ W  | 6.50  |                                  |
| 045 W                | 8.50  |                                  |
| 040 W                | 4.50  |                                  |
| 021 E                | 7.50  | 3.75 a Stream 10 W. wide         |
| 035 E                | 7.00  | 5.00 a Spring brook 10 W. wide   |
| 052 E                | 4.69  | To Post in line of sec. 26 & 35  |
| 079 E                | 14.00 | at 13.00 a Spring (In Sec. 35)   |
| N 84 E               | 7.50  | at 6.00 a Brook 8 W. wide        |
| N 77 $\frac{1}{2}$ E | 10.69 | To Post in line of sec. 26 & 35  |
| N 60 E               | 9.00  | In Sec. 26.                      |
| 088 $\frac{1}{2}$ E  | 1.95  | To Post in line of sec. 25 & 26. |
| 089 $\frac{1}{2}$ E  | 4.00  | In Sec. 25.                      |
| 051 E                | 1.50  |                                  |
| 06 W                 | 1.50  |                                  |
| 030 W                | 2.10  | To Post in line of sec. 25 & 36. |
| 047 $\frac{1}{2}$ W  | 5.110 | To Post in line of sec. 35 & 36. |
| 026 W                | 4.00  | In Sec. 35.                      |
| 015 E                | 1.50  |                                  |
| 014 $\frac{1}{2}$ E  | 6.13  | To Post in line of sec. 35 & 36. |
| 019 E                | 9.00  | In Sec. 36. at 3.00 a Spring.    |
| 032 E                | 22.00 | 20.40 a Spring.                  |
| 048 $\frac{1}{2}$ E  | 6.00  |                                  |
| 062 E                | 6.50  |                                  |
| 081 E                | 2.50  | 1.50 a Stream 10 W. wide         |
| 089 E                | 7.00  |                                  |
| N 25 E               | 4.50  |                                  |
| N 7 E                | 7.00  |                                  |
| N 57 E               | 2.50  |                                  |
| East                 | 5.00  |                                  |
| 068 E                | 7.00  |                                  |

207

of 27 N. R. 8 E. T<sup>wp</sup> Mer. Indiana.

|      |       |  |
|------|-------|--|
| 0260 | 7.50  |  |
| 012W | 2.00  |  |
| 045W | 13.50 | 3.00 foot of Rapids. 12.00 Head of Do. |
| 025W | 7.00  | raise bluffs.                          |
| 0480 | 7.00  |  |
| East | 15.00 | at 2.00 a Spring.                      |
| 0490 | 18.00 | " 5.00 at North 5 W. side              |
| 0620 | 3.38  | To Post in East Boundary -             |

July 5<sup>th</sup> 1823

Meanders of Salamanic River.  
Beginning at Post in West Boundary  
thence up Stream on Right bank

| Courses | Distances | Remarks -  |
|---------|-----------|--|
| 0160    | 12.00     | In Sec. 7. at 50 W. Side<br>Cliffs & Centre bottom -                 |
| 0530    | 4.50      |  |
| 0740    | 12.00     | at 50 W. a Rapid at 4.00<br>Side bottom high bank -                  |
| East    | 3.50      | 1.00 high cliffs   |
| 0780    | 5.50      |  |
| 0340    | 10.00     |  |
| South   | 2.50      | Side high cliffs & Centre<br>bottom a Rapid -                        |
| 011W    | 9.50      |  |
| 0200    | 3.00      |  |
| 0610    | 3.50      |  |
| East    | 6.50      | 50 W. a Rapid  |
| 0610    | 7.00      | 2.00 a Spring Branch Comm S.<br>6.75 at North 8 W. side " S.         |
| 0340    | 4.00      |  |
| 0110    | 5.00      | 1.00 a Spring  |
| 060     | 7.50      |  |
| 0130    | 6.93      | To Post in line of sec. 7 & 18 at<br>the Post 25.81 N. of Sec. Comm. |



# of 27 N. - R. 8 E. 2<sup>nd</sup> Mer. Ind.

|           |       |  |
|-----------|-------|--|
| 119 E     | 11.50 | In Sec. 18 - at 3.50 a stream<br>15 W. wide cum N. & at 9.00 the<br>lower end of a rapid -       |
| 134 E     | 8.50  | low cliffs in this course  |
| 17 E      | 4.00  | 2.00 Head of Rapids  |
| 22 E      | 8.00  |  |
| 29 E      | 4.50  |  |
| 140 E     | 4.12  | To Post in Indian Boundary -   |
|           |       | From Post in South Boundary of<br>Indian Reserve, thence up stream<br>on Right bank - in Sec. 22 |
| 181 1/2 E | 1.98  | To Post in line of sects 22 & 23   |
| 167 E     | 3.00  | In Sec. 23 -   |
| 185 E     | 7.00  |  |
| 180 E     | 4.50  | 4.00 a stream 8 W. wide D. N.  |
| 169 E     | 5.50  |  |
| 152 E     | 16.00 | 5.00 a stream 6 W. wide D. N.<br>14.00 a Creek 50 " " N.   |
| 129 E     | 6.50  |  |
| 136 E     | 5.00  | 3.00 a Small Island -  |
| 15 1/2 N  | 2.63  | To Post in line of sects 23 & 26 -   |
| 125 N     | 3.50  | In Sec. 26 -   |
| 153 N     | 6.00  |  |
| 172 N     | 8.50  | 6.00 a Small Island -  |
| 180 N     | 5.50  |  |
| 160 N     | 2.50  |  |
| 130 N     | 3.50  |  |
| 114 N     | 3.50  | 1.00 a Small Island -  |
| 110 E     | 4.00  |  |
| 140 E     | 5.50  |  |
| 175 E     | 8.00  | 4.00 a Rapid   |
| 158 E     | 16.00 |  |
| 132 E     | 9.00  | 3.00 High Bluffs   |

209  
*W. J. N. R. 8 E. 2<sup>nd</sup> Mer. Indiana.*

|           |       |  |
|-----------|-------|--|
| Q12 E     | 6.00  |  |
| South     | 4.00  |  |
| Q40 W     | 17.50 | 1.00 Left Bluffs                                       |
| Q24 E     | 4.50  |  |
| Q38 E     | 7.50  |  |
| Q65 E     | 9.66  | line between Sects 26 & 35 along <sup>bank</sup> river |
| East      | 13.00 |  |
| N70 E     | 5.50  |  |
| N64 E     | 13.50 | 7.00 high bluffs.                                      |
| N76 E     | 1.50  | Topost in line of Sects 25 & 26.                       |
| Q78 E     | 7.00  | In Sec. 25.  |
| Q40 E     | 3.50  | Left Bluffs  |
| South     | 3.00  |  |
| Q25 1/2 W | 1.08  | Topost in line of Sects 25 & 36.                       |
| Q25 W     | 3.50  | In Sec. 36.  |
| Q60 W     | 6.00  |  |
| Q17 W     | 3.00  |  |
| Q16 E     | 8.00  |  |
| Q25 E     | 5.00  |  |
| Q31 E     | 22.00 |  |
| Q46 E     | 4.00  |  |
| Q68 E     | 8.50  |  |
| Q85 E     | 6.50  | 5.00 a Ripple  |
| N15 E     | 8.50  | High bank  |
| N58 E     | 3.50  | 3.00 a Spring.   |
| N76 E     | 4.00  | Several Springs on this corner.                        |
| N86 E     | 4.00  | 50 lbs? a Spring                                       |
| Q69 E     | 8.00  | 1.00 a Spring  |
| Q40 E     | 4.50  |  |
| Q15 E     | 6.00  |  |
| South     | 5.50  | 1.00 at Brook to the inside W.                         |
| Q45 W     | 15.00 | 50 lbs? left high bank. 4.00 a Rapid                   |
| Q21 E     | 2.00  |  |
| Q65 E     | 2.50  |  |

T. 27 N. R. 8 E. 2<sup>nd</sup> Mer. Indiana.

East 5.00  
 N 72 E 10.00  
 N 55 E 8.50  
 N 50 E 7.00  
 N 63 1/2 E 2.45 To Post in East Boundary line  
 July 12<sup>th</sup> 1893 -

Surveyed by Josiah G. Polk. Dep. Sur.

Subdivision of the portion of Indian  
 Reserve lying in T. 27 N. R. 8 E -

West Return Secs. 13 & 14 -

1.50 a Stream 30 W. side Corner S.  
 16.50 an Elm 18 in. dia.  
 28.22 an Ash 24 " "  
 40.00 Set g. Sec. Post from which  
 an Elm 20 in. dia. bears N 84 E 12 W. dist. 4  
 a Beech 24 " " " O 32 W 10 " "  
 53.01 Intersect South Bound. of Six mile Reserve  
 Set Post from which  
 a Hickory 18 in. dia. bears N 49 E 34 W. dist. 4  
 a Sugar 20 " " " N 72 W 23 " "  
 Land rolling & rich -

Note - Believing that the calculation  
 for the contents of Tract Sec. 13 was made  
 by a line running West from the corner on  
 Range line, and at right angles to the  
 Range line. Accordingly, run it S.  
 without regard to the Section line to be  
 extended North Return Secs. 13 & 14 -

North Return Secs. 13 & 14

Beginning at South Bound. of Six mile Reserve  
 12.66 Set Post Cor. to Secs. 13, 14, 23 & 24 from which  
 a W. Oak 24 in. dia. bears N 67 E 18 W. dist. 4  
 a Beech 20 " " " O 73 W 40 " "

# W. D. N. R. & E. 2<sup>nd</sup> Mo. Indiana

Land rolling 2<sup>nd</sup> rate.

East Between Secs. 13 & 24

13.07 at Beech 20 in. dia.

23.02 Intersect S. Bound. of Sec. mile Reserve

& set post from which

a Beech 15 in. dia. bears N 53 E 10<sup>th</sup> dist. &

a Do 18 " " " " 20 " "

Measured thence along said S. Bound.

N 61 E 3.88 to the Post on line between

Secs. 13 & 24 running West from Range line.

Land rolling 2<sup>nd</sup> rate. Timber Beech. Oak.

Ash. Sugar. Elm. Hickory &c

North Between Secs. 13 & 14 -

20.73 at Beech 18 in. dia. &c

34.62 a Beech 12 " "

40.00 Set g. Sec. Post from which

a Beech 28 in. dia. bears N 36 W 38<sup>th</sup> dist. &

a Do 10 " " " South 25 " "

57.57 a Buckeye 12 " "

69.22 an Elm 40 " "

74.00 Enter a Willow Swamp

80.00 Leave the " " & set post cu. to

Sections 11.12.13 & 14 from which

a Swamp Oak 30 in. dia. bears N 16 E 35<sup>th</sup> dist.

a Maple 40 " " " " 47 " "

Land, except Swamp, rolling 2<sup>nd</sup> rate. Timber

Beech Sugar. Oak. Elm. Ash. Poplar. Hickory

&c ungt. Spruce &c

East on Random between Secs. 12 & 13 -

27.00 Enter a Willow Swamp.

31.00 Leave the " " "

79.96 Intersect E. Bound. line 160<sup>th</sup> W. of Post -

Land, except Swamp, level, dry & 2<sup>nd</sup> rate -



# W. 27 N. - R. 8 E. 2<sup>nd</sup> Mer. Indiana

Timber Beech, Oak, Ash, Elm, Sugar, Poplar,  
Hickory & ungt. Spruce. Hawth.

West Corner between Secs 12 & 13.

10.85 a B. Oak 48 in. dia.

27.38 a Sugar 24 " "

39.98 Let gr. Sec. post from which  
a Cherry 14 in. dia. bears N 35 W 21 W. dist. 8  
a Beech 15 " " " S 46 W 30 " "

53.92 an Ash 18 " "

69.53 a Sugar 12 " "

79.96 To Sec. Corner.

North Between Secs 11 & 12

12.19 a Hickory 28 in. dia

32.70 an Ash 24 " "

40.00 Let gr. Sec. post from which  
a W. Oak 28 in. dia. bears East 4 W. dist. 8  
a Scoop ash 24 " " " N 4 W 27 " "

51.51 a Hickory 20 " "

65.96 a W. Oak 20 " "

80.00 Let post cut to Secs 12, 11 & 12 from which  
a W. Oak 48 in. dia. bears S 14 E 18 W. dist. 8  
a Beech 18 " " " N 35 E 11 " "

Land level & rich, a small part wet. Timber  
Beech, Sugar, Ash, Oak, Elm, Walnut, Hickory, Spruce

East on Random between Secs 1 & 12 -

79.86 Interior E. Bound. line 151 W. & S. of Post -  
Land level & wet. Beech, Oak, Elm, Ash, Hickory,  
Sugar, Sugar, Cottonwood & ungt. Spruce, P. Oak,  
Haw. Water Beech &

West Corner between Secs 1 & 12 -

14.02 a Beech 15 in. dia.

30.25 a Do 16 " "

Sec 27 N. R. 8 E. T. 2<sup>nd</sup> Mer. Indiana

213

- 39.93 Set gr. Sec. Post at average dir. from which  
 a W. Oak 28 in. dia. bears N 88 E 37 W. dist. 4  
 a Beech 15 " " " N 79 W 30 " "  
 56.13 a Do 14 " "  
 72.85 a W. Oak 28 " "  
 79.86 To Sec. Corner.

North Between Secs 1 & 2 -

- 16.64 an Elm 20 in. dia.  
 37.50 a Hickory 24 " "  
 46.00 Set gr. Sec. Post from which  
 a Maple 20 in. dia. bears N 46 W. 30 W. dist. 4  
 a Bur Oak 18 " " " North 10 " "  
 50.22 a Sap. Ash 10 " "  
 66.24 a Hickory 20 " "  
 78.21 Intersect N. Bound. line 18 W. N. of Post.  
 where set Post Co. to Sec. 1 & 2 from which  
 a W. Oak 24 in. dia. bears N 19 E 15 W. dist. 8  
 a Beech 24 " " " S 18 W 29 " "  
 Sand line 400 ft. Beech. Oak. Elm. Hickory Ash &  
 Spice. Ash & October 14<sup>th</sup> 1839 -

West on True line between Secs 11 & 14

- 17.29 a Beech 12 in. dia  
 35.13 a Do 15 " "  
 40.00 Set gr. Sec. Post from which  
 a Beech 15 in. dia. bears N 30 W 23 W. dist. 4  
 a Do 20 " " " S 24 E 29 " "  
 49.74 a Do 18 " "  
 71.32 a Hickory 28 " "  
 79.50 Intersect line of secs 14 & 15 & set Post Co.  
 to Sec. 10. 11. 14 & 15 from which  
 an Ash 20 in. dia. bears N 27 E 24 W. dist. 4  
 a Beech 24 " " " S 28 W 36 " "  
 Sand rolling good 2<sup>nd</sup> rate. Beech. Sugar. Oak. Walnut.  
 Hickory. Ash. Poplar. Sycamore & Spice. Hawth.

# Q7 N. R. 8 E. 2<sup>nd</sup> Sec. Indiana

North Between Secs. 14 & 15.

From the N.W. Corner of Grant N<sup>o</sup>. 30. -

18.00 a Beech 18 in. dia.

33.09 To Post Cr. to Secs. 10, 11, 14 & 15 -

North Between Secs. 10 & 11

16.41 an Elm 12 in. dia.

27.23 a W. Oak 28 " "

40.00 Let q. Sec. Post from which  
a Maple 24 in. dia. bears S 51 E 2 W. dist. 9  
a Do 24 " " " N 3 E 17 " "

56.88 a W. Oak 28 " "

67.60 an Elm 40 " "

80.00 Let Post Cr. to Secs. 9, 3, 10 & 11 from which  
a Poplar 36 in. dia. bears N 33 E 17 W. dist. 9  
a Do 28 " " " S 67 W 21 " "

Land cont. & cont. Beech. Oak. Elm. Ash. Poplar  
Hickory. Maple. Sycamore. Cottonwood &c

East on Random between Secs. 2 & 11 -

79.58 Entered at Mt. line 3 mi. S. of Post

Land cont. West 1/2 day & 2<sup>nd</sup> day. East 1/2 cont.

Beech. Oak. Poplar. Sycamore. Elm. Ash. Maple.

Cottonwood &c. Spruce. Hawth. Picket Ash &c

West Corner between Secs. 2 & 11 -

16.54 a Beech 18 in. dia.

31.56 a W. Oak 36 " "

39.79 Let q. Sec. Post at same dist. from which  
an Ash 28 in. dia. bears N 39 W 13 W. dist. 9  
a B. Oak 18 " " " S 27 W 24 " "

57.13 a Beech 30 " "

70.20 a Do 30 " "

79.58 To Sec. Corner.

North Between Secs. 2 & 3 -

*N. R. & C. 2<sup>nd</sup> Mex. Indiana.*

- 13.86 an Ash 40 in. dia.  
 28.88 a Cottonwood 48 in. dia.  
 40.00 Let go. Loc. Post from which  
     a Syc 18 in. dia. bears N 29 E 35 W. dist. 9  
     a B. Oak 36 " " " N 64 W 15 " "  
 52.52 a Beech 20 " "  
 70.91 a Sycamore 30 " "  
 77.76 Intersect N. Bound. line 15 W. E. of Post -  
     when set Post on. to Loc. 2 & 3 from which  
     a Hickory 18 in. dia. bears S 53 E 37 W. dist. 9  
     a Do 18 " " " S 52 W 62 " "  
 Land cont. & part of it cut. Beech. Oak. Ash.  
 Elm. Hickory. Syc. Sycamore. Cottonwood.  
 Maple. Spruce. October 16<sup>th</sup>. 1839 -

*North Return Locs. 27 & 28.*

- From S. E. Bound. of Six mile reservation  
 11.99 a Beech 24 in. dia.  
 17.50 Let Post on. to Locs. 21, 22, 27 & 28 from which  
     a Beech 14 in. dia. bears S 88 E 14 W. dist. 9  
     an Ash 40 " " " N 45 W 14 " "  
 Land cont. & rich

*East in Randan Return Locs. 26 & 27 -*

- 33.46 Intersect S. E. Bound. of the Six mile Reservation  
 11 W. N. of Corner  
 Land very broken & rich

*West corner Return Locs. 22 & 27 -*

- 15.11 a Syc 30 in. dia.  
 33.46 To Loc. Corner.

*North Return Locs. 21 & 22.*

- 6.40 Intersect Left bank of Salamanc River & set Post.  
     a W. Oak 12 in. dia. bears S 44 W 7 W. dist. 9  
     a W. Walnut 18 " " " S 84 E 43 " "



# 27 N. W. & E. 2<sup>nd</sup> Mo. Indian

9.29 on River & set Post on Right bank from which  
 a Spruce 12 in. dia. bears N 41 W 17 W. dist. 9  
 a Buckeye 12 " " " 065 E 15 " "  
 26.46 a Sugar 24 " "  
 40.00 Set g. Sec. Post from which  
 a Birch 24 in. dia. bears S 38 E 23 W. dist. 8  
 a Do 10 " " " 184 W 29 " "  
 55.93 a Do 24 " "  
 80.00 Set Post Cu. to Sect. 15, 16, 21 & 22 from which  
 a B. Oak 40 in. dia. bears South 1 W. dist. 8  
 a Birch 22 " " " 142 W 14 " "  
 Sand rolling 2<sup>nd</sup> rate. Birch. Sugar. Walnut.  
 Ash. Oak. Elm. Hickory. Spruce. Spruce &

North Between Sect. 15 & 16 -

11.95 a Birch 15 in. dia.  
 17.33 at N. W. Corner of Grant N. 31 to Mechaniquan  
 31.35 a Birch 16 in. dia.  
 40.00 Set g. Sec. Post from which  
 an Elm 18 in. dia. bears S 53 W 22 W. dist. 9  
 a Do 15 " " " 119 E 35 " "  
 53.39 a Sugar 14 " "  
 70.96 a Poplar 36 " "  
 80.00 Set Post Cu. to Sect. 9, 10, 15 & 16 from which  
 a Birch 18 in. dia. bears N 55 E 12 W. dist. 8  
 a Do 20 " " " 131 W 18 " "  
 Sand rolling 2<sup>nd</sup> rate. There is a large Pro-  
 portion of Excellent White Oak timber on  
 this land. Some Poplar. Other timber as  
 usual. ungt. Spruce. Hawth &

East of Random between Sect. 10 & 15 -

80.95 Interest of N. line 1 W. S. & post  
 Sand line 2<sup>nd</sup> rate. Birch. Oak. Elm. Ash.  
 Sugar. Hickory. Spruce. Spruce. Hawth &

217

Ref 27 N. R. & E. 2<sup>nd</sup> Mer. Indiana

West Corner of return Secs 10 & 15 -

- 9.82 an ash 18 in dia.  
 26.91 a B. Oak 15 " "  
 40.48 Set g. Sec. Post at average dist. from corner  
 a Sugar 20 in dia. Vars N E 16 W. dist. 9  
 a Beech 20 " " " S 37 W 46 " "  
 53.84 a Do 22 " "  
 66.01 a B. Oak 20 " "  
 80.95 To Sec. corner.

North Return Secs 9 & 10 -

- 12.22 a Hophorn 22 in dia.  
 26.27 a W. Oak 36 " "  
 40.00 Set g. Sec. Post from which  
 a Hickory 18 in dia. Vars N 31 W 18 W. dist. 7  
 a Beech 20 " " " N 39 E 27 " "  
 59.41 an Elm 18 " "  
 60.00 Enter a Willow Swamp corner NW & S. E.  
 68.00 Leave the Swamp.  
 70.93 a W. Oak 30 in dia.

- 80.00 Set Post center Secs 34. 9 & 10 from which  
 a Beech 14 in dia. Vars S 30 E 4 W. dist. 4  
 a Do 20 " " " N 2 E 33 " "

South 1/2 mile land rolling 2<sup>nd</sup> rate & well  
 timbered with 1<sup>st</sup> rate White Oak - North 1/2  
 level & wet. Beech. Oak. Ash. Elm & Hickory.  
 Maple. Poplar & Spruce. Suckly ash. Hawthorn

East or Random Return Secs 3 & 10 -

- 81.06 Enter at N. line 22 W. N. E. Post.  
 Land level & dry 2<sup>nd</sup> rate. Beech. Oak. Hickory.  
 Elm. Ash. Poplar Spruce & Spruce. P. Ash &

West Corner of return Secs 3 & 10 -

- 14.09 an ash 18 in dia.  
 27.82 a Sugar 20 " "  
 40.53 Set g. Sec. Post at average dist. from which

N. 27 N. - W. 8 E. 2<sup>nd</sup> Mer. Indiana.

an Elm 22 in. dia. bears N 17 W 25 th. S. dist. 9  
 a Hickory 18 " " " 483 E 23 " "  
 53.40 a Spr 36 " "  
 66.17 a Maple 20 " "  
 81.06 To Sec. Corner.

North Return Sect. 3 & 11.

10.62 an Elm 30 in. dia.  
 24.00 Corner a Millers Swamp  
 29.00 Same th. " "  
 35.36 a B. Oak 18 in. dia.  
 48.50 Set q. Sec. Post from which  
 an Ash 30 in. dia. bears S 45 W 8 W. dist. 9  
 an Elm 40 " " " N 2 E 31 " "  
 52.22 a Beech 24 " "  
 66.88 a Do 10 " "  
 77.75 Intersect N. Bound. line 100 th. N. of Post.  
 when set Post C. to Sect. 3 & 11 from which  
 a W. Oak 40 in. dia. bears S 53 W 3 th. S. dist. 9  
 a Beech 14 " " " N 26 E 19 " "  
 South 1/2 mile less cross. North 1/2 rolling,  
 good 2<sup>nd</sup> rate. Beech. Oak. Sugar. Elm. Ash.  
 Hickory. Spruce. Poplar &c. Spruce &c.  
 October 17<sup>th</sup> 1839 -

North Return Sect. 28 & 29. From Post on Reservoir line

12.28 a W. Oak 20 in. dia.  
 19.02 Set q. Sec. Post from which  
 a Sugar 18 in. dia. bears S 45 E 10 th. S. dist. 9  
 a Do 16 " " " N 33 W 10 " "  
 39.95 a Sugar 14 " "  
 59.02 Set Post C. to Sect. 20. 21. 28 & 29 from which  
 a Beech 18 in. dia. bears N 11 W 75 th. S. dist. 9  
 an Ash 16 " " " S 85 W 9 " "  
 Sand rolling good 2<sup>nd</sup> rate. Beech. Sugar. Walnut.  
 Ash. Oak. Hickory. Elm. Spruce &c. Spruce &c.

219

J. D. N. R. & Co. 2<sup>nd</sup> Mer. Indiana.

East w/ Randam between Secs. 21 & 28.

79.59 Entered Mt. line 14 W. S. of Ross-  
land N. 1/2 very broken with deep ra-  
vines. E. 1/2 rolling & good 2<sup>nd</sup> rate.  
Beech. Sugar Oak. Ash. Elm. Walnut.  
Hickory. Gum. Spice &c

West corner between Secs. 21 & 28.

24.78 a Sugar 20 in. dia.  
39.80 Set g. Sec. Post at a mag. dist. from which  
a Beech 15 in. dia. has N 33 E 13 W. dist.  
a Do 20 " " " S 57 N 19 " "  
46.69 a Sugar 18 " "  
63.05 an Ash 5 " "  
79.59 To Sec. corner.

North between Secs. 20 & 21

3.50 a Stream 8 W. side corner N.W.  
6.50 a Do 60 " " " N.E.  
8.50 Same " " " " N.W.  
19.40 a Beech 14 in. dia.  
33.80 a Do 10 " "  
40.00 Set g. Sec. Post from which  
a Beech 18 in. dia. has N 70 E 9 W. dist.  
an Elm 28 " " " S 45 N 36 " "  
52.12 a Sugar 6 " "  
66.00 a White Oak 36 " "  
80.00 Set Post cor. to Secs. 16, 17, 20 & 21 from which  
a Beech 36 in. dia. has S 77 E 14 W. dist.  
a Buckeye 12 " " " S 77 N 3 " "  
Land S. 1/2 very hilly. North 1/2 rolling &  
2<sup>nd</sup> rate. (Beech. Sugar Ash. Oak. Elm,  
Hickory. Gum. Spice. Paw Paw &c -

East w/ Randam between Secs. 16 & 21.

445 To Salamander River.



# St. J. N. R. & Co. D. M. Indiana.

7.93 on River.  
 79.60 Entered at M. line at M. S. of Post.  
 Sand rolling 2<sup>nd</sup> rate Buck. Oak. Sugar,  
 Noddy Elm. Ash. Spruce. Spruce. Hard &c.

West Cornett between Secs. 16 & 21 -

19.30 a Buckeye 20 in. dia.

32.95 a Sugar 18 " "

39.80 Set of Sec. Post at same place from which  
 a Buck 12 in. dia. bears N 30 W 11 W. dir. 4  
 a Do 10 " " " S 60 E 15 " "

53.97 a Do 12 " "

65.08 a Do 15 " "

71.67 Set Post on Right bank of Salaman River.  
 on Elm 18 in. dia. bears N 30 W 12 W. dir. 4  
 a Spruce 10 " " " S 43 E 12 " "

75.15 On River Set Post on Left bank from which  
 a Buckeye 20 in. dia. bears N 30 E 16 W. dir. 4  
 a W Oak 12 " " " S 44 E 14 " "

79.60 To Sec. Corner.

North Between Secs. 16 & 17

4.74 Entered Left bank of Salaman River.  
 on Elm 12 in. dia. bears S 79 W 17 W. dir. 4  
 a W. Walnut 28 " " " S 88 E 32 " "

6.75 On River Set Post on Right bank from which  
 a Spruce 14 in. dia. bears S 64 E 18 W. dir. 4  
 on Elm 6 " " " N 61 W 36 " "

11.19 a W. Oak 34 " "

29.96 a B. Oak 20 " "

40.00 Set of Sec. Post from which  
 a Buck 24 in. dia. bears S 65 W 26 W. dir. 4  
 a Do 12 " " " N 30 E 20 " "

48.50 a W Oak 60 " "

71.05 a Spruce 6 " "

80.00 Set Post Co. to Secs. 8, 9, 16 & 17 from which

221

J. D. N. R. & E. J. Ind. Indiana.

an Ironwood 12 in. dia. bears 155 N 16 W. dir. N  
 a Do 10 " " " 155 E 6 " "  
 Sand rolling 2<sup>nd</sup> rate. Beech. Oak. Hickory.  
 Elm. Sugar. Ash. Syc. Spice. Hawth  
 October 18<sup>th</sup> 1839-

East on Random between Sect. 9 & 16 -  
 79.63 Interset Mt. line 34 W. N. of Post -  
 Sand rolling 2<sup>nd</sup> rate. Beech. Oak. Hickory.  
 Elm. Sugar. Ash. Poplar. Syc. & Spice. Hawth

West corner between Sect. 9 & 16 -  
 14.45 a Beech 12 in. dia.  
 33.79 a B. Oak 28 " "  
 39.82 Set q. Sec. post at amaze dir. from which  
 a Beech 18 in. dia. bears 117 E 27 W. dir. of  
 a Hickory 18 " " " 150 - 24 " "  
 50.74 an Ash 22 " "  
 65.58 a B. Oak 48 " "  
 79.63 To Sec. Corner.

North between Sect. 8 & 9 -  
 13.37 a Hickory 28 in. dia.  
 28.68 a B. Oak 48 " "  
 40.00 Set q. Sec. post from which  
 a Beech 14 in. dia. bears 141 N 30 W. dir. N  
 a Do 12 " " " 154 E 39 " "  
 49.54 a Do 18 " "  
 71.70 a Do 10 " "  
 80.00 Set Post co. to Sect. 4. 5. 8 & 9 from which  
 a Beech 24 in. dia. bears 118 E 10 W. dir. N  
 a Do 18 " " " 164 N 29 " "  
 Sand rolling 2<sup>nd</sup> rate. Beech. Oak. Ash. Elm.  
 Sugar. Poplar. Syc. Hickory. Spice. Hawth

East on Random between Sect. 14 & 9 -

W. D. N. R. & E. 2<sup>nd</sup> Mr. Indiana.

79.65 Entered at Mt. line 48 W. N. of Post -  
 Sand lent & w. w. Birch. Oak. Elm. Ash.  
 Hickay. Sugar. Spruce. Spruce. P. Ash. New &

West Corner Bottoms Loc. 449 -

11.23 at Beech 15 in. dia. ~~tree~~

32.15 at Poplar 18 " "

39.83 Set g. Loc. Post at average dir. from which  
 at Beech 20 in. dia. trees 76 E 7 W. dir. 9  
 on Ash 12 " " " West 43 " "

55.24 at Poplar 36 " "

66.68 at Sugar 24 " "

79.65 To Loc. Corner.

North Bottoms Loc. 445 -

13.70 on Ash 30 in. dia.

27.57 at Beech 18 " "

40.00 Set g. Loc. Post from which  
 at Beech 24 in. dia. trees 167 E 36 W. dir. 9  
 at Do 10 " " " N 37 W 11 " "

59.50 at Sugar 20 " "

75.89 Entered at N. Bound. line 76 W. N. of Post -  
 when set Post on to Loc. 445 from which  
 at Beech 24 in. dia. trees 187 E 35 W. dir. 9  
 at Do 28 " " " N 37 W 32 " "  
 Sand rolling & good 2<sup>nd</sup> rate. Birch. Sugar. Oak.  
 Walnut. Ash. Elm. Hickay. Poplar. Spruce. Spruce &  
 Oct 20 19<sup>th</sup> 1839 -

North Bottoms Loc. 31 & 32

11.54 at Beech 15 in. dia.

20.66 Set Post on to Loc. 29, 30, 31 & 32 from which  
 on Ash 24 in. dia. trees 161 W 11 N. dir. 9  
 at Beech 12 " " " 15 E 5 " "

Sand lent & good -

East on Random Return Sect. 29 & 32 -

- 38.85 Intersect S. E. Bound. of Six mile Reserve  
 79.80 Intersect N. line 13th. E. of post -  
 Land rolling & 2<sup>nd</sup> rate, Beech Sugar Oak, Ash,  
 Elm, Hickory, Poplar. Spruce &c

West Corner Return Sect. 29 & 32 -

- 16.97 a Buckeye 14 in. dia.  
 39.90 Set g. Sec. Post at average dist. from which  
 an Elm 36 in. dia. bears S 56° W 16 1/2 mi dist.  
 a Buckeye 24 " " " N 47° W 32 " "  
 44.11 Set post on S. E. Bound. line of Six mile Reserve  
 a Buckeye 18 in. dia. bears N 42° E 22 1/2 mi. dist. of  
 a Birch 20 " " " N 73° W 23 " "  
 54.71 a Do 14 " "  
 66.53 a Do 28 " "  
 79.80 To Sec. Corner.

West on Random Return 30 & 31 -

- 12.13 Intersect N. Bound. of Reserve 16 mi. N. of post -  
 measured from line of sec. 30 & 31 along  
 N. Bound. of Six mile Reserve South 26.77 to  
 the S. W. Corner.

East Corner Return Sect. 30 & 31

- 12.13 To Sec. Corner.

North Return Sect. 29 & 30 -

- 14.99 a Birch 10 in. dia.  
 24.00 a Stream 20 mi. wide corner N. E.  
 30.75 a Beech 16 in. dia.  
 40.00 Set g. Sec. Post from which  
 a Beech 24 in. dia. bears N 60° W 3 1/2 mi. dist. of  
 a N. Oak 24 " " " N 40° E 3 1/2 " "  
 50.74 an Elm 16 " "  
 71.53 an Ash 28 " "



# S. D. N. R. & E. I. Mer. Indiana

80.00 Let Post Cu. to Loc. 19, 20, 29 & 30 from which  
 a Hickory 28 in. dia. bears N 78 E 19 W. dist. 9  
 a Buckeye 10 " " " S 47 W 23 " "  
 Sand rolling & 1<sup>st</sup> rate. Birch. Sugar. Walnut.  
 Ash. Oak. Elm. Buckeye. Hickory. Spruce &  
 maple. Spruce. Paw Paw &

East with Random Return Loc. 30 & 29 -

59.00 a Stream 60 ft. wide corner N.E.

79.76 Enter at N.E. line 22 W. S. of Post  
 Sand rolling & 1<sup>st</sup> rate. Birch. Sugar. Oak.  
 Ash. Elm. Hickory. Poplar. Spruce. Spruce &

West Corner Return Loc. 30 & 29 -

21.62 a Lycium 14 in. dia.

39.88 Let q. Loc. Post at angle dist. from which  
 a Buck 10 in. dia. bears S 74 E 6 W. dist. 8  
 a Do 18 " " " N 75 W 25 " "

53.13 a Do 22 " "

67.86 a Buckeye 15 " "

79.76 To Loc. corner.

West Return Loc. 19 & 30

10.81 Enter at N. Bound. of Six mile Reserve 80 W. S. of Post  
 Let Post Cu. to each Loc. 19 & 30 from which  
 a Buck 10 in. dia. bears N 31 E 27 W. dist. 8  
 a Do 18 " " " S 38 E 40 " "

North Return Loc. 19 & 20 -

13.46 a Buck 12 in. dia.

32.74 an Ash 36 " "

40.00 Let q. Loc. Post from which  
 a Buck 20 in. dia. bears North 21 W. dist. 9  
 a Do 16 " " " N 79 W 33 " "

53.84 an Ironwood 6 " "

70.00 a Stream 15 W. wide corner N.E.

*J. D. N. R. & E. D. Mu. Indiana.*

75.36 a Y. Oak 48 in. dia.  
 80.00 Set post on to Locs. 17, 18, 19 & 20 from which  
 a Buck 12 in. dia. bears S 24 E 15 W. dist. 8  
 a Do 14 " " " S 56 E 13 " "  
 Land is rolling & good - N. 1/2 broken - Buck.  
 Sugar. Oak. Ash. Elm. Hickory. Spruce. Hawth.

East at Random between Locs. 17 & 20 -  
 26.50 a Stream 15 W. side of Run N. E.  
 28.87 Entered left bank of Salamancie River.  
 31.71 on do  
 51.26 Entered Right bank of do  
 55.01 on Run.  
 79.92 Entered N. line of 27 W. N. of Post -

West corner between Locs. 17 & 20 -  
 24.75 Set post on left bank of Salamancie River from which  
 a Buck 24 in. dia. bears S 67 W 6 W. dist. 8  
 a Buckeye 20 " " " S 61 E 48 " "  
 28.36 on Run & set post on Right bank from which  
 a Lycamore 36 in. dia. bears N 58 E 33 W. dist. 8  
 an Ash 6 " " " N 77 W 15 " "  
 39.96 Set on Loc. Post from which  
 an Elm 24 in. dia. bears S 39 W 15 W. dist. 19  
 a Do 28 " " " N 77 W 40 " "  
 48.19 Set post on Right bank of River from which  
 a Buck 24 in. dia. bears N 8 E 44 W. dist. 9  
 a Do 12 " " " S 9 E 38 " "  
 51.05 on Run & set post on Left bank from which  
 a Lycamore 18 in. dia. bears S 10 E 30 W. dist. 8  
 an Ash 10 " " " N 20 E 6 " "  
 79.92 To Loc. corner. October 20<sup>th</sup> 1839 -

West between Locs. 18 & 19 -  
 9.39 Entered N. Bound. of Six mile Reserve 122 W. N.  
 of Post & set post on to track Locs. 18 & 19 from which

# W 27 N. R. 8 E. 2<sup>nd</sup> Mer. Indiana.

a Buck 18 in. dia. bears N 40 E 11 W. dist. 18  
a Do 15 " " " 126 N 30 " "

North Return Loc. 17 & 18.

14.92 a Buck 18 in. dia.

28.23 Intersect left bank of Salamanca Riv. & set post.

a Spruce 18 in. dia. bears S 65 W 98 W. dist. 9

Elm Elm 31 " " " N 84 W 112 " "

31.02 on Riv. & set post on right bank from which

a B. Oak 18 in. dia. bears S 81 E 67 W. dist. 9

a Sugar 18 " " " N 80 E 80 " "

40.00 Set g. Loc. post from which

a W. Oak 14 in. dia. bears N 80 W 9 W. dist. 9

a B. Oak 22 " " " N 40 E 43 " "

52.31 a W. Oak 36 " "

71.50 a Stream 10 W. wide Cross S. W.

80.00 Set post con. to Loc. 7. 8. 17 & 18 from which

a Buckeye 16 in. dia. bears N 49 W 17 W. dist. 9

a Buck 14 " " " S 88 E 32 " "

Sandstone & iron. Buck. Oak. Elm. Hickory.

Ash. Spruce. Sugar & Spruce. Ironwood. Dogwood &c

East on Random Return Loc. 8 & 17-

17.50 a Stream 10 W. wide Cross S. W.

80.45 Intersect M. Riv. 44 W. S. of Post

Sand rolling 2<sup>nd</sup> rate. Buck. Oak. Sugar. Ash.

Elm. Spruce. Hickory. Spruce &c

West Corner Return Loc. 8 & 17-

17.85 a Sugar 36 in. dia.

30.05 a W. Oak 30 in. dia.

40.23 Set g. Loc. post at arroyo dist. from which

a Buck 24 in. dia. bears N 22 E 29 W. dist. 9

an Ash 14 " " " S 34 W 41 " "

52.64 a Buck 15 " "

80.45 To Loc. Corner.

227

*S. D. N. R. & E. I. Mr. Indiana.*

West Return Lec. 7 & 18-

7.78 Entered N. Bound. of Six Mile Run 137 W. S. of Post & set Post Co. to Jack Lec. 7 & 18 from which  
 an Ironwood 13 in. dia. was N 42 W 3 W. dist. 4  
 a Do 6 " " " 077 E 3 " "

North Return Lec. 7 & 8-

12.22 a Beech 24 in. dia.

31.69 a W. Oak 40 " "

40.00 Set g. Lec. Post from which  
 a Beech 14 in. dia. was 077 E 10 W. dist. 4  
 a Buckeye 14 " " " 077 W 30 " "

57.19 a Beech 28 " "

69.56 a Do 28 " "

80.00 Set Post Co. to Lec. 5, 6, 7 & 8 from which  
 a Beech 28 in. dia. was N 47 W 5 W. dist. 4  
 a Do 36 " " " 057 E 41 " "

Land rolling I. Nat. Beech. Oak. Sugar. Ash.  
 Elm. Hickory. Syc. Spec. Ironwood &c.

East of Random Return Lec. 5 & 8-

79.80 Entered N. line 62 W. S. of Post -  
 Land rolling I. Nat. Beech. Oak. Sugar. Elm.  
 Ash. Hickory. Poplar. Syc. Spec. Ironwood &c.

West Corner Return Lec. 5 & 8-

15.27 a W. Oak 24 in. dia.

27.60 an Elm 14 " "

39.90 Set g. Lec. Post at angle dist. from which  
 a Beech 10 in. dia. was N 88 E 14 W. dist. 4  
 a B. Oak 24 " " " 038 W 46 " "

53.77 a Beech 22 " "

65.48 a Do 36 " "

79.80 To Lec. Corner.

West Return Lec. 6 & 7-



# W. D. N. H. P. E. 2<sup>nd</sup> Mer. Indiana.

6.49 Intersect N. Bound. of Six Mile Resene 156 W.  
N. of Post & set Post Cu. to Sec. 6 & 7 from which  
at Bench 18 in. dia. bears N 66 W 23 W. dist. 7  
a Do 30 " " " N 40 E 33 " "

North Return Sec. 5 & 6.

17.22 at Bench 10 in. dia.

34.36 a Do 18 " "

40.00 Set q. Sec. Post from which  
at Bench 15 in. dia. bears S 37 W 26 W. dist. 9  
at Hickory 24 " " " N 5 E 42 " "

52.67 at Bench 30 " "

66.92 a Do 12 " "

76.74 Intersect N. Bound. line 96 W. N. of post.  
when set Post Cu. to Sec. 5 & 6 from which  
at Bench 24 in. dia. bears S 7 E 35 W. dist. 9  
at Hickory 24 " " " N 28 E 56 " "

Land holding good 2<sup>nd</sup> Nat. Bench. Sugar.  
Oak. Ash. Hickory Elm. Walnut. Poplar,  
Syc. Spruce &c Oct 21<sup>st</sup> 1839.

Meanders of Salamanic River.  
Beginning at Post in West Boundary  
of the "Six Mile Resene" thence up  
Stream on Right bank. as follows

| Courses | Distances | Remarks                          |
|---------|-----------|----------------------------------|
| 044 E   | 4.50      | In Sec. 18.                      |
| 035 E   | 9.51      | To Post in line of sec. 17 & 18. |
| 034 E   | 7.00      | In Sec. 17                       |
| 09 E    | 4.50      |                                  |
| 030 E   | 8.50      |                                  |
| 055 E   | 4.50      |                                  |
| 066 E   | 5.00      |                                  |
| East    | 7.00      |                                  |
| 068 E   | 4.00      |                                  |

229  
 27 N. R. 8 E. 2<sup>nd</sup> Mer. Indiana.

053 E 4.00

010 E 5.00

027 N 3.50

010 1/2 N .57 To Post in line of Sect. 17 & 20.

016 N 3.00 In Sec. 20

029 N 10.50

027 N 6.50

012 E 3.00

032 E 3.00

076 E 3.50

083 E 6.50

N 57 E 4.50

N 38 E 7.50

N 12 E 2.50

October 23<sup>rd</sup> 1839 —

N 12 E 6.00

N 7 E 5.50

N 28 1/4 E 4.31

To Post in line of Sect. 17 & 20.

N 53 E 8.00

In Sec. 17

N 88 E 11.50

N 74 E 7.50

286 E 3.40

To Post in line of Sect. 16 & 17.

058 E 3.50

In Sec. 16.

046 E 3.50

039 1/4 E 3.94

To Post in line of Sect. 16 & 21

021 E 6.00

In Sec. 21

049 E 10.50

039 E 22.50

029 E 7.00

036 E 9.00

044 E 15.50

075 E 11.50

082 E 7.00

*W. J. N. R. & E. L. M. Indiana.*

049 E 6.00

09 E 3.50

014 W 4.50

068 E 2.00

069 1/2 E 2.79 To Post in line of Sec. 21 & S. E. 1/4  
Cn. of Grant No. 31 Confirmed to  
Me-cha-ne-quaw.

Meanders of Salamanic River  
Beginning at Post set when the South East  
Boundary of "Six mile Reserve" intersects  
the left bank of the River. thence down  
stream on left bank as follows.

Courses Distances

Remarks-

N 50 W 5.50

In Sec. 22.

N 20 W 7.00

080 W 2.50

070 W 6.50

075 W 5.50

054 W 6.00

035 W 8.50

015 W 5.00

N 75 W 8.00

N 59 W 11.00

068 W 12.00

055 W 4.70

N 80 W 3.63

To Post in line of sec. 21 & 22.

N 65 W 6.00

In Sec. 21.

N 73 W 11.00

N 67 W 4.00

N 86 W 9.50

N 66 W 6.50

N 37 W 4.00

N 40 W 12.50

N 45 W 8.50

# S. J. N. - H. & E. 2<sup>nd</sup> Mer. Indiana.

231

N41W 19.50

N46W 4.00

N38W 11.50

N43W 8.00

N34W 4.50

N26½W 1.18 To Post in line of sec. 16 & 21

N41W 5.50 In Sec. 16-

N33W 1.02 To Post in line of sec. 16 & 17-

N80W 5.00 In Sec. 17

N66W 7.50

N84W 11.50

N52½W 2.14 To Post in line of sec. 17 & 20-

N38W 6.50 In Sec. 20

N4W 8.00

N20W 7.00

N39W 5.00

N51W 7.00

N85W 12.50 3.00 a Steamboat mile from South -  
Oct 24<sup>th</sup> 1839-

N38W 2.50

N16W 8.50

N3E 9.50

N24E 2.50

N27E 5.00

N2½E 1.87 To Post in line of sec. 17 & 20-

N4E 7.50 In Sec. 17- & at 1.25 a Steam

N56W 6.00 10<sup>th</sup> mile from S.W.

N85W 7.00

N77W 4.50

N70W 3.00

N48W 4.50

N33W 11.00

N8½W 6.32 To Post in line of Sec. 17 & 18-



T. 27 N. R. 8 E. 2<sup>nd</sup> Mer. Indiana

N58W 3.00 In Sec. 18.

N37W 6.00

N50W 3.34 To East in N. Boundary line of the  
Six Mile Reservation

I hereby certify that in pursuance of a  
Contract with E. S. Maines Survey General  
of the U. States & the States of Ohio, Indiana  
and Michigan, bearing date the 20<sup>th</sup>  
day of April 1839. and in strict Confor-  
mity to the laws of the U. States and the  
instructions of Said Survey General: I  
have subdivided into Sections Fractional  
Township N. 27 North, Range N. 8 East in  
the State of Indiana.

And I do further certify that the fore-  
going are the true & original Field Notes of  
thesop, executed as aforesaid

Certified this 25<sup>th</sup> day of October 1839.

W. Carter Dep. Surveyor

W<sup>m</sup>. Miller 3

Edwin Farguhar 3 Chairman

W<sup>m</sup>. J. Shaver, Machin

I certify that the foregoing transcript of  
the Field Notes of Township 27 North, in Range  
8 East of the 9<sup>th</sup> Meridian in Indiana,  
has been compared with the original in  
this office, and found to be correct.

Surveyor General's Office,

Cincinnati, Nov. 15<sup>th</sup> 1843

William Spurgeon  
Sur. Genl.

Comp<sup>d</sup>